

# Calc 3 - Assignment 30

① Evaluate  $\oint_C y dx - x dy$ ,  $C = \text{unit circle}$

a) directly

b) using Green's theorem

② Use Green's theorem to evaluate:

a)  $\oint_C e^y dx + 2xe^y dy$ ,  $C$  square  $x=0, x=1, y=0, y=1$

b)  $\oint_C x^2 y^2 dx + 4xy^3 dy$ ,  $C$  triangle  $(0,0), (1,1), (0,1)$

c)  $\oint_C (y+e^{ix}) dx + (2x+\cos(y^2)) dy$ ,  $C$  region

between  $y=x^2$  and  $x=y^2$

d)  $\oint_C \sin(y) dx + x \cos(y) dy$ ,  $C$  is the ellipse

$$x^2 + xy + y^2 = 1$$

③ We showed in class that  $\oint_C x dy - y dx$

gives area  $A$  enclosed by  $C$  by letting

$M(x,y) = -y$  and  $N(x,y) = x$  and applying

Green's theorem. Show that also

$$a) \oint_C x dy = A$$

$$b) -\oint_C y dx = A$$

④ Suppose  $D$  a region in  $xy$ -plane bounded

by a simple closed path  $C$ . Show that the coordinates of the centroid  $(\bar{x}, \bar{y})$  of  $D$  are

$$\bar{x} = \frac{1}{2A} \oint_C x^2 dy \quad \bar{y} = -\frac{1}{2A} \oint_C y^2 dx$$

⑤ Evaluate  $\oint_C \vec{F} dr$  for.

a)  $\vec{F} = \langle \sqrt{x^2 + y^2}, x^2 + \sqrt{y^2} \rangle$ ,  $C$  the curve  $y = \sin(x)$

from  $(0,0)$  to  $(\pi, 0)$  and the line segment

from  $(\pi, 0)$  to  $(0, 0)$

b)  $\vec{F} = \langle e^x + x^2 y, e^y - xy^2 \rangle$ ,  $C: x^2 + y^2 = 2x$

c)  $\vec{F} = \langle y - \ln(x^2 + y^2), 2 \arctan(y/x) \rangle$ ,  $C$  circle

$$(x-2)^2 + (y-2)^2 = 1$$

① ~~X~~ Evaluate  $\int_C 2(x+y)dx + 2(x+y)dy$ , C curve from  $(-2, 2)$  to  $(4, 3)$

② ~~X~~ Find the work done by the force field  $F = \langle 9x^2y^2, 6x^3y - 1 \rangle$  from  $P(0,0)$  to  $Q(5,9)$

③ ~~X~~ Evaluate  $\int_C 2xydx + (x+y)dy$  where C bounds the region between  $y=0$  and  $y=4-x^2$ .

④ ~~X~~ Evaluate  $\int_C x\sin(y^2) - y^2)dx + (x^2 \cos(y^2) + 3x)dy$  where C is the boundary of the trapezoid with vertices  $(0, -2)$ ,  $(1, -1)$ ,  $(1, 1)$ , and  $(0, 2)$ .