

Calc 3 - Assignment 25

Note Title

11/17/2013

① Evaluate $\oint_C y dx - x dy$, $C = \text{unit circle}$

a) directly \int_C

b) using Green's theorem

② Use Green's theorem to evaluate:

a) $\oint_C e^x dx + 2xe^x dy$, C square $x=0, x=1, y=0, y=1$

b) $\oint_C x^2 y^2 dx + 4xy^3 dy$, C triangle $(0,0), (1,1), (0,1)$

c) $\oint_C (y + e^{xy}) dx + (2x + \cos(y^2)) dy$, C region between $y=x^2$ and $x=y^2$

d) $\oint_C \sin(|y|) dx + x \cos(|y|) dy$, C is the ellipse $x^2 + xy + y^2 = 1$

③ We showed in class that $\frac{1}{2} \oint_C x dy - y dx$

gives area A enclosed by C by letting

$M(x,y) = -y$ and $N(x,y) = x$ and applying

Green's theorem. Show that also

$$a) \oint_C x dy = A$$

$$b) -\oint_C y dx = A$$

④ Suppose D is a region in the xy -plane bounded by a simple closed path C . Show that the coordinates of the centroid (\bar{x}, \bar{y}) of D are

$$\bar{x} = \frac{1}{2A} \oint_C x^2 dy \quad \bar{y} = -\frac{1}{2A} \oint_C y^2 dx$$

⑤ Evaluate $\oint_C \vec{F} \cdot d\vec{r}$ for:

a) $\vec{F} = \langle \sqrt{|x|} + y^2, x^2 + \sqrt{y} \rangle$, C the curve $y = \sin(x)$ from $(0,0)$ to $(\pi,0)$ and the line segment from $(\pi,0)$ to $(0,0)$

b) $\vec{F} = \langle e^x + x^2 y, e^y - xy^2 \rangle$, $C: x^2 + y^2 = 2\pi$

c) $\vec{F} = \langle y - \ln(x^2 + y^2), 2 \arctan(y/x) \rangle$, C circle $(x-2)^2 + (y-2)^2 = 1$

① ✗ Evaluate: $\int_C 2(x+y)dx + 2(x+y)dy$, C: curve from $(-2, 2)$ to $(4, 3)$

② ✗ Find the work done by the force field $F = \langle 9x^2y^2, 6x^3y - 1 \rangle$ from $P(0,0)$ to $Q(5,9)$

③ ✗ Evaluate $\int_C 2xydx + (x+y)dy$ where C bounds the region between $y=0$ and $y=4-x^2$.

④ ✗ Evaluate $\int_C x \sin(y^2) - y^2 dx + (x^2 \cos(y^2) + 3x) dy$ where C is the boundary of the trapezoid with vertices $(0, -2)$, $(1, -1)$, $(1, 1)$, and $(0, 2)$.